Take you to understand the Macaroni Pasta Production

Detail Introduction :

There are many types of macaroni on the market. Generally, starch-rich grains are crushed, gelatinize flavored, squeezed. And dried to make a variety of noodles with good taste and unique flavor. The pr are steamed. The color is crystal clear, smooth, beautiful in color and delicious in taste. Which is deep by consumers.

Everyone is familiar with macaroni. So do you know the macaroni production line? How much do you about this? As the name suggests, this is the equipment specially used to produce macaroni. It shows excellent performance in the production of macaroni. The processed products are high-quality, healt nutritious and delicious. The following is a detailed introduction to the Macaroni Pasta Production Lir The whole macaroni production line is made of stainless steel, beautiful in appearance and durable. The trianaterials are extruded at high pressure through a single-screw extruder or a twin-screw extruder. Fin heated by a mold at a high temperature to form macaroni of different shapes. Compared with the production process. The performance is more perfect. And the production efficiency is significantly in



Advantages of the macaroni production line:

1. Imported frequency conversion or electromagnetic control system is adopted. With high degree of automation and stable operation.

2. The production line is easy to operate, easy to clean and maintain. And does not require special sk

highly paid qualified experts.

3. Using special materials and processes. The screws and nuts involved can work continuously under wear and high pressure conditions.

4. The use of modern standard classic production technology. Energy-saving technology and the best insulation performance. Significantly reduce production costs.

5. You can use a drying room that runs with the most suitable energy source, gas, electricity or different of solid fuels.

The working principle of the macaroni production line:

The flour is mixed with water in a mixer. The mixed flour is conveyed to the macaroni extruder by a s conveyor. The cylinder wall of the extruder is double-layered. And the cavity is cooled by water. A mo is installed at the outlet end of the cylinder liner.

And the wet flour is extruded from the die hole . And cut into wet macaroni by the rotating head. The automatically falls into the pre-dryer. After drying, it will automatically fall into the far-infrared dryer. enter the cooler, and finally package the finished product.

When making macaroni. The basic principle and processing method of kneading are the same as tho dried noodles. But the forming principle and method are completely different from dried noodles. Th macaroni is extruded. Its biggest advantage is that it can replace various molds. Squeeze out hollow or round noodles, shell-shaped, letter-shaped, hanging flower-shaped, wheel-shaped and other colorful varieties.

The macaroni production line is composed of feeding system, mixing system, extrusion system, cuttil system, drying system, cooling system and packaging system.

The production line includes basic units such as: raw material mixer, screw extruder, pre-dryer, main equipment, cooler and packaging machine. If necessary, the processing and production of pasta can completed by additional equipment and machinery.

The production line uses potato starch, potato flour and corn starch as the main raw materials. Production of secondary extrusion products with different shapes that are popular on the market. Such a spirals, square tubes, crisp peas, round tubes, etc. The production line has unique technology, reason configuration, high degree of automation and stable performance.

One of the most important criteria for selecting equipment is its capacity. In addition, the choice of pl line depends on the size of the company. The available production space, the best type of energy, an type of pasta products.

Macaroni Pasta Production Line can basically meet all these conditions. Its production technology is v advanced. It can be said to be the first choice for food processing plants.