

Professional Instant Noodles Making Machine With Custom Design Service


Introdução detalhada :

Introduction of Instant Noodles Making Machine:

Instant Noodles, also known as fast food noodles, instant noodles, cup noodles, fast cooked noodles, instant noodles, are generally called bowl noodles in the south and doll noodles in Hong Kong. It is a noodle food that can be cooked in a short time with hot water. Broadly speaking, it refers to a kind of food that can be cooked and eaten with hot water within a short period of time, with related dishes such as homemade noodles, noodle salad, etc.; narrowly speaking, instant noodles usually refer to the finished products sold consisting of noodle cakes, seasoning packets and oil packets, mostly in bags and cups on the market. Instant noodles are ready-to-eat convenience foods that can be eaten in a short time (usually within 3 minutes) by steaming and frying the noodles that are shredded out to a fixed shape (usually square or round), brewing them with boiling water before consumption, dissolving the seasoning, and heating the noodles to brew away.



The whole Instant Noodles production line Automatic Material Supplying Alkali Water Mixing Tank A Measuring Device Flour Mixer Round Disk Aging Machine Rolling & Shaping Machine Steaming Machine Cutting And Dividing Machine Frying Machine Arranging Machine Cooling Machine Conveying Machine Machine.



Details of the production line:

| | |
|---------------------|--|
| Production capacity | 1000-3200kg/h |
| Electricity supply | Customised according to your local electricity situation. |
| Machine details | 1.Stainless steel:201, 304, 316, on request. 2.Electrical components can be ABB, Delta, Fuji, Siemens, famous brands. |
| Certificates | CE,GOST,TUV,BV,SGS |



Features of the Instant Noodles processing line

- 1.Productivity:automated system for controlled and stable production on a continuous basis, easy and product change, automatic start-up, simple cleaning and maintenance procedures.
- 2.Economical: low investment, quick results.
- 3.Environmental protection: moderate output and energy saving.
- 4.Intelligent control system: PLC control of production to ensure optimum process parameters for each recipe.
- 5Automatic lubrication system can reduce power consumption and prolong service life.

Parameters of the Instant Noodles Production Line

| Model | Installed Capacity (kw) | Capacity (kg/h) | Dimension (m) |
|------------|----------------------------|--------------------|------------------|
| LYN-11 3Y | 42 | 1000-1200 | 60*6*4.5 |
| LYN-11 6Y | 56 | 1200-1400 | 76*8*4.5 |
| LYN-11 8Y | 68 | 1300-1500 | 76*8*4.5 |
| LYN-11 10Y | 80 | 1400-1600 | 95*8*5 |
| LYN-11 12Y | 83 | 1800-2000 | 95*8*5 |
| LYN-11 16Y | 106 | 2000-2400 | 110*10*5.5 |
| LYN-11 18Y | 114 | 2400-2600 | 110*10*5.5 |
| LYN-11 20Y | 125 | 2600-2800 | 120*12*5.5 |
| LYN-11 25Y | 140 | 3000-3200 | 120*12*5.5 |